

0000

FLOATING DOCK





BROCHURE



PT. FIBERBOAT INDONESIA

Akte Pendirian : Choiriyah, SH, 18 Januari 2011, No. 17

NPWP : 03.105.719.3-643.000

SIUP : 510/270-PJ/404-6-2/2016

NIB : 9120503771782

IUI : 18/3515/IU//PMDN/2016

OFFICE



Jl. Lingkar Timur Rangkah kidul
Pergudangan Safe N Lock V1 No.
3263 RT. 000 Rw. 000
Rangkahkidul Sidoarjo.



031-99010503



zein.seanocs@gmail.com



www.dermaga-apung.com

SPECIFICATION

Main Dimension : 50 x 50 x 40 cm
 Lock Size : 22 x 25 cm
 Weight : 7 kg/pcs
 Load Capacity : 360 kg/sqm
 Material : HDPE
 Yield Strength : 17.59 Mpa
 Tensile Strength : 21.98 Mpa

CUBE ACCESSORIES



Cube



Low Cube



Fender



Bollard



Spanner



Bolt and Nut



Short Pin



Long Bolt



Long Pin



Railing



V Float



U float




U float with Roller



Pile Guide



Mallet



CUBE INSTALLATION

Simple, fast in assembly, diverse in configuration, Seanocs cube is widely used as various purpose. Reasonable cost, from a long-term point of view, it will save much cost and time in maintain and repair.

Complete equipment for floating dock system, such a bollard hand rails, crash worthy ball, pill guide etc.



PONTOON CUBE APPLICATION

Floating Jetty



PONTOON CUBE APPLICATION

Floating Jet Ski Docks



PONTOON CUBE APPLICATION

Floating Platform



**Wakil Gubernur Jawa Tengah Resmikan Bendungan
Mugunting, Blora**





PONTOON CUBE APPLICATION

Floating Bridges



PONTOON CUBE APPLICATION

Fish Farm



PONTOON CUBE APPLICATION

Floating Solar Panel



PONTOON CUBE APPLICATION

Floating Resort and Tour



